



PRICE LIST RRP 2019

V1. Valid from 01/01/2019




Supersilo is one of the leading European companies manufacturing textile silos for biomass, agriculture and industry in general.

Direct contact with our customers makes us aware of their needs and helps us to develop innovative new products.

Supersilo boasts an international network of distribution and sales by a specialised technical team who will respond to your inquiries as quickly as possible.

Do not hesitate to contact us to receive help and advice about our products.

Our storage systems consist of 3 main items:



CERTIFICATES:



CE



FOOD SAFE



U.V. RAY



ANTISTATIC




DUST PERMEABILITY



RESISTANCE

SILOS

NEW



- Galvanized steel structure.
- Dust permeability certificate.
- Impact protection mat for pellets built in.
- Does not require special screws or tools.
- Easiest and fastest assembly time on the market.
- One filling pipe included.
- Extraction system not included.



Article	Length (cm)	Width (cm)	Height (cm)	Volume (m ³)	Tonnage (t)	Retail Price (€)
SP120P	120	120	180-230	1,1-1,6	0,7-1,0	1.383,00
SP120X150P	150	120	180-230	1,4-1,9	0,9-1,2	1.426,00
SP120X170P	170	120	180-230	1,6-2,3	1,0-1,5	1.489,00
SP150P	150	150	180-230	1,8-2,5	1,1-1,7	1.482,00
SP150X170P	170	150	180-230	2,0-2,9	1,3-1,9	1.514,00
SP150X 200P	200	150	180-230	2,4-3,5	1,5-2,3	1.549,00
SP170P	170	170	180-230	2,4-3,4	1,5-2,2	1.547,00
SP170X200P	200	170	180-230	2,8-4,0	1,8-2,6	1.602,00
SP170X220P	220	170	180-230	3,0-4,3	1,9-2,8	1.647,00
SP200P	200	200	180-230	3,2-4,6	2,1-3,1	1.663,00
SP200X220P	220	200	180-230	3,5-5,1	2,3-3,3	1.717,00
SP200X250P	250	200	180-230	4,0-5,9	2,6-3,8	1.810,00
SP250P	250	250	180-230	5,1-7,5	3,3-4,8	1.984,00
SP250X220P	250	220	180-230	4,4-6,5	2,9-4,2	1.874,00
SP250X300P	300	250	180-230	5,9-8,8	3,8-5,7	2.193,00
SP300P	300	300	180-230	6,4-10,1	4,2-6,6	2.445,00
SP120G	120	120	200-250	1,3-1,8	0,9-1,2	1.412,00
SP120X150G	150	120	200-250	1,7-2,2	1,1-1,4	1.455,00
SP120X170G	170	120	200-250	1,9-2,6	1,2-1,7	1.518,00
SP150G	150	150	200-250	2,1-2,8	1,3-1,9	1.510,00
SP150X170G	170	150	200-250	2,4-3,3	1,5-2,1	1.543,00
SP150X 200G	200	150	200-250	2,8-3,9	1,8-2,6	1.577,00
SP170G	170	170	200-250	2,8-3,8	1,8-2,5	1.575,00
SP170X200G	200	170	200-250	3,3-4,5	2,1-2,9	1.631,00
SP170X220G	220	170	200-250	3,6-4,9	2,3-3,2	1.677,00
SP200G	200	200	200-250	3,8-5,2	2,4-3,4	1.691,00
SP200X220G	220	200	200-250	4,3-5,9	2,8-3,8	1.745,00
SP200X250G	250	200	200-250	4,8-6,7	3,1-4,3	1.838,00
SP250G	250	250	200-250	6,1-8,5	4,0-5,5	2.012,00
SP250X220G	250	220	200-250	5,3-7,4	3,5-4,8	1.902,00
SP250X300G	300	250	200-250	7,2-10,1	4,6-6,5	2.222,00
SP300G	300	300	200-250	8,0-11,7	5,2-7,6	2.473,00


Transport not included. EXW price.

Note: capacity in tonnes may vary depending on the density of the pellets and the filling method. The company reserves the right to alter its products or specifications without notice.

SILOS

Ecosilo

NEW



- Wooden structure with galvanized joints.
- Dust permeability certificate.
- Impact protection mat for pellets built in.
- Robust and modern look.
- Completely natural and organic wood.
- One filling pipe included.
- Extraction system not included.



Article	Length (cm)	Width (cm)	Height (cm)	Volume (m ³)	Tonnage (t)	Retail Price (€)
ECO120P	120	120	180-230	1,1-1,6	0,7-1,0	1.213,00
ECO120x150P	150	120	180-230	1,4-1,9	0,9-1,2	1.250,00
ECO150P	150	150	180-230	1,8-2,5	1,1-1,7	1.297,00
ECO150x170P	170	150	180-230	2,0-2,9	1,3-1,9	1.322,00
ECO170P	170	170	180-230	2,4-3,4	1,5-2,2	1.345,00
ECO170x200P	200	170	180-230	2,8-4,0	1,8-2,6	1.396,00
ECO200P	200	200	180-230	3,2-4,6	2,1-3,1	1.447,00

Article	Length (cm)	Width (cm)	Height (cm)	Volume (m ³)	Tonnage (t)	Retail price (€)
ECO120G	120	120	200-250	1,3-1,8	0,9-1,2	1.230,00
ECO120x150G	150	120	200-250	1,7-2,2	1,1-1,4	1.268,00
ECO150G	150	150	200-250	2,1-2,8	1,3-1,9	1.315,00
ECO150x170G	170	150	200-250	2,4-3,3	1,5-2,1	1.339,00
ECO170G	170	170	200-250	2,8-3,8	1,8-2,5	1.362,00
ECO170x200G	200	170	200-250	3,3-4,5	2,1-2,9	1.413,00
ECO200G	200	200	200-250	3,8-5,2	2,4-3,4	1.466,00

Transport not included. EXW price.


Note: capacity in tonnes may vary depending on the density of the pellets and the filling method.
The company reserves the right to alter its products or specifications without notice.

www.supersilo.es

SILOS

Recsilo

NEW



- Galvanized steel structure.
- Dust permeability certificate.
- Impact protection mat for pellets built in.
- One filling pipe included.
- Auger extraction system included.
- Suitable only for vacuum system.
- Specially designed for narrow spaces.



Article	Length (cm)	Width (cm)	Height (cm)	Volume(m ³)	Tonnage (t)	Retail Price (€)
REC200X100P	200	100	180-230	2,2-3,0	1,4-1,9	3.021,00
REC250X100P	250	100	180-230	2,8-3,8	1,8-2,5	3.274,00
REC250X150P	250	150	180-230	3,9-5,4	2,5-3,5	3.409,00
REC300X100P	300	100	180-230	3,5-4,6	2,2-3,0	3.500,00
REC300X150P	300	150	180-230	4,7-6,5	3,0-4,2	3.610,00
REC300X200P	300	200	180-230	5,8-8,3	3,8-5,4	3.702,00
419	Motor protection with relay for P models					88,00

Article	Length (cm)	Width (cm)	Height (cm)	Volume (m ³)	Tonnage (t)	Retail Price (€)
REC200X100G	200	100	200-250	2,5-3,3	1,7-2,2	3.050,00
REC250X100G	250	100	200-250	3,3-4,3	2,1-2,8	3.302,00
REC250X150G	250	150	200-250	4,5-6,0	3,0-4,0	3.437,00
REC300X100G	300	100	200-250	4,0-5,1	2,6-3,4	3.528,00
REC300X150G	300	150	200-250	5,5-7,3	3,5-4,7	3.639,00
REC300X200G	300	200	200-250	6,9-9,4	4,5-6,1	3.730,00
419	Motor protection with relay for G models					88,00


Transport not included. EXW price.

Note: capacity in tonnes may vary depending on the density of the pellets and the filling method.
The company reserves the right to alter its products or specifications without notice.

www.supersilo.es

SILOS

Megasilo



- Galvanized steel structure.
- Dust permeability certificate.
- Impact protection mat for pellets built in.
- Flatter bottom with PVC reinforcement.
- Includes a vibration unit to move the pellets towards the centre, giving reliable extraction.
- Suitable only for vacuum system.
- Filling pipe included.
- Extraction system included.



Article	Length (cm)	Width (cm)	Height (cm)	Volume (m³)	Tonnage (t)	Retail Price (€)
MEGASILO 160P	160	160	180-230	2,5-3,3	1,6-2,2	2.119,00
MEGASILO 180P	180	180	180-230	3,3-4,4	2,1-2,9	2.257,00
MEGASILO 200P	200	200	180-230	4,1-5,6	2,6-3,6	2.361,00
MEGASILO 220P	220	220	180-230	5,1-6,9	3,3-4,5	2.424,00

Article	Length (cm)	Width (cm)	Height (cm)	Volume (m³)	Tonnage (t)	Retail Price (€)
MEGASILO 160G	160	160	200-250	2,9-3,7	1,8-2,4	2.148,00
MEGASILO 180G	180	180	200-250	3,8-4,9	2,4-3,2	2.286,00
MEGASILO 200G	200	200	200-250	4,8-6,3	3,0-4,0	2.389,00
MEGASILO 220G	220	220	200-250	5,9-7,7	3,8-5,0	2.452,00

* Compared to some models of Supersilo. The percentage may vary from the size of the silo.
 Transport not included. EXW price.
 Note: capacity in tonnes may vary depending on the density of the pellets and the filling method.
 The company reserves the right to alter its products or specifications without notice.

SILOS

Minisilo



- Wooden structure.
- Ideal for smaller locations.
- Manufactured without top cover to allow manual filling.
- Extraction system not included.



Article	Length (cm)	Width (cm)	Height (cm)	Volume (m³)	Tonnage (t)	Retail Price (€)
MINISILO 100	100	100	130	0,53	0,35	450,00
MINISILO 130	130	130	130	0,95	0,62	509,00

Kit minisilo



- Wooden structure.
- Ideal for smaller locations.
- Manufactured without top cover to allow manual filling.
- Kit consist of: minisilo + extraction unit + 2m auger with motor + kit auto with level sensor.



Article	Length (cm)	Width (cm)	Height (cm)	Volume (m³)	Tonnage (t)	Retail Price (€)
KIT MINISILO 100	100	100	130	0,53	0,35	1.341,00
KIT MINISILO 130	130	130	130	0,95	0,62	1.396,00

Transport not included. EXW price.

Note: capacity in tonnes may vary depending on the density of the pellets and the filling method.
The company reserves the right to alter its products or specifications without notice.

www.supersilo.es

SILOS

Geosilo

NEW



- Rigid polyester fibre silo to install underground.
- Only available for vacuum system.
- Specially designed for space saving.
- Triple anti-jam safety system.
- Two filling pipes included.
- Extraction system included.
- Manhole cover included.



Article	Diameter (cm)	Height (cm)	Volume (m ³)	Tonnage (t)	Retail Price (€)
GEOSILO	230	300	6,5	4,2	7.024,00

Cover for outdoor silo



- Protective cover for outdoors.
- Includes a PVC cover, an extra structure of galvanised steel and an extra filling pipe.
- Choice of PVC colour on request.
- Silo not included.
- Silo volume and capacity may vary.
- Available for steel structure silos, not for wooden structure.



Article	Description	Retail Price (€)
101	Outdoor Silo	on request

Transport not included. EXW price.

Note: capacity in tonnes may vary depending on the density of the pellets and the filling method. The company reserves the right to alter its products without notice.

www.supersilo.es

SILOS

Manual filling



- Manual filling accessory for silos.
- Available for all silos.
- Can be positioned on any side of the silo.




Article	Description	Retail Price (€)
102	Manual filling	73,00

Weighing cell



- Precision weighing cell for measuring capacity.
- +/- 100 kg precision.
- Capacity in kg and percentage.
- Includes one cell and an LCD screen with visual alarm.



Article	Description	Retail Price (€)
103	Weighing cell 4T	722,00
104	Weighing cell 8T	847,00



Lid Zipper

NEW



- Zipper for the silo top cover to enable loading manually or via big bag.



Article	Description	Retail Price (€)
105	Zipper	131,00

Transport not included.
EXW price. The company reserves the right to alter its products without notice.

www.supersilo.es


EXTRACTION SYSTEMS

Connection for rigid auger



- Suitable for 75mm external diameter pipes.
- Includes guillotine to cut off pellet flow.

Article	Ø upper (mm)	Ø tube (mm)	Retail Price (€)
SE75R	250	75	330,00




Connection for flexible auger



- Suitable for 75mm external diameter pipes.
- Axis and bearing included.
- Includes guillotine to cut off pellet flow.

Article	Ø upper (mm)	Ø tube (mm)	Retail Price (€)
SE75F	250	75	330,00




Double connection for rigid and flexible auger



- To feed two boilers simultaneously from one silo.
- Suitable for 75mm external diameter pipes.
- Includes guillotine to cut off pellet flow.


Article	Ø upper (mm)	Ø tube (mm)	Retail Price (€)
SE75R DOBLE	400	75	435,00



Connection for vacuum system



Article	Ø upper (mm)	Ø tube (mm)	Retail Price (€)
SE50	250	50	320,00
SE45	250	45 and 50	320,00



Transport not included. EXW price.
The company reserves the right to alter its products without notice.


www.supersilo.es

EXTRACTION SYSTEMS

Connection for double vacuum system



Article	Ø upper (mm)	Ø hoses (mm)	Retail Price (€)
SE50 DOBLE	400	50	372,00




Connection for auger + vacuum



- Small auger with vacuum connection.
- Includes guillotine to cut off pellet flow.

Article	Ø upper (mm)	Ø hoses (mm)	Retail Price (€)
ASP+S 90W	250	50	1.043,00




Manual extraction system



- Manually operated guillotine.

Article	Diameter (mm)	Location	Retail Price (€)
MANUAL 150	150	side	77,00
MANUAL 250	250	bottom	180,00



TRANSPORT SYSTEMS - AUGER

Rigid auger



- 2m Rigid auger.
- 75mm diam. PVC with motor.
- Several motor speeds and powers available.




Article	(kg/h)	Ø exterior tube (mm)	Ø interior spiral (mm)	Retail Price (€)
SRM11-25W	11	75	36	707,00
SRM24-25W	24	75	36	707,00
SRM44-25W	44	75	36	707,00
SRM74-90W	74	75	36	1.017,00
SRM124-90W	124	75	36	1.017,00
mEXTRA	Costs for extra auger meter	75	36	67,00
417	Motor protection 25W with relay			88,00
418	Motor protection 90W with relay			88,00

Automatic electric kit for auger system



- Automatic control system for feeding a hopper.
- Full automation of the material transport process.
- Set the hours and days of the system operation.
- Visual alarm to warn that the silo is empty, with a 230V output to connect any other type of alarm.
- Quick and easy installation.
- Level sensor for the boiler hopper included.
- Adaptable to all boilers on the market.



Article	Description	Retail Price (€)
301	KIT AUTO 1 SENSOR	309,00
302	KIT AUTO 2 SENSOR	367,00

Transport not included. EXW price.
The company reserves the right to alter its products without notice.


TRANSPORT SYSTEMS - PNEUMATIC VACUUM

Pneumatic vacuum system for biomass boilers



- Automatic transport of wood pellet from the silo to the boiler.
- Sensor to keep the level at maximum included.
- 13l internal capacity (8kg).
- Cleaning filter with metal gauze mesh.
- Easily programmable to set the times of operation.
- Maximum transport distance of 20 m. This will depend on the routing of the pipe. Curves and changes of direction of the hose will affect maximum transport distance.
- 1600 W power.

- Automatic transport of wood pellet from the silo to the boiler.
- Sensor to keep the level at maximum included.
- 3l internal capacity (2kg).
- Cleaning filter with metal gauze mesh.
- Easily programmable to set the times of operation.
- Maximum transport distance of 20 m. This will depend on the routing of the pipe. Curves and changes of direction of the hose will affect maximum transport distance.
- 1600 W power.



Article	Length (cm)	Width (cm)	Height (cm)	Weight (kg)	Retail Price (€)
VACUPELLET	35	35	63	20	1.111,00
MINIVACUPELLET	30/15	30/20	25/22	6/6	996,00

Hose



- Particular robust and flexible, with soft interior and a twisted copper wire for electricity conduction.
- Suitable for wood pellets.
- 50m coil. For smaller pieces (multiples of 5m), 15€ extra cost.




Article	Description	Diameter (mm)	ID-OD (mm)	Colour	Weight (kg/m)	Presson (bar)	Retail Price (€/m)
303	Hose	50	58	gelb	0,88	0,6	14,00/meter
304	Cut and handling						15,00

Transport not included. EXW price.
The company reserves the right to alter its products without notice.

www.supersilo.es

STORAGE ROOMS (BUNKER SILOS) ACCESSORIES

Storz/Guillemin coupling



- Filling pipe.
- Two filling pipes for room silos are recommended.
- 4 inches steel pipe.



Storz




Guillemin

Article	Dimensions (mm)	Length (mm)	Weight (kg)	Retail Price (€)
RACORD STORZ	110	500	6	128,00
RACORD GUILLEMIN	110	500	6	105,00

Extension for filling pipes



- Clamp included.
- Galvanized steel.
- Suitable for textile and bunker silos filling pipes.



Article	Description	Length (cm)	Diameter (cm)	Retail Price (€)
412	Extensión de 0,5M	49	10	36,00
413	Extensión de 1M	99	10	38,00

Elbow joint



- Clamp included.
- Galvanized steel.
- Suitable for textil and bunker silos filling pipes.




Article	Description	Slope (degrees)	Diameter (cm)	Retail Price (€)
414	Elbow joint	15°	10	12,00
415	Elbow joint	45°	10	36,00

Piece of transition



- For the extension of already existing filling pipes.
- Clamp included.



Article	Description	Diameter (cm)	Retail Price (€)
416	Piece of transition	10	51,00

STORAGE ROOMS (BUNKER SILOS) ACCESSORIES

U-Trough auger



- Screw by sections with axis and bearing.
- Motor included.
- Fuel extraction up to a suction connection.
- Auger pressure relief system.
- 45° wood attachment system included.
- Only suitable for vacuum system.
- Wood not included.




Article	Description	Lenth trough (cm)	For a room (cm)	Retail Price (€)
404	U-Trough auger 1.5	150	200	1.392,00
405	U-Trough auger 2	200	250	1.479,00
406	U-Trough auger 2.5	250	300	1.632,00
407	U-Trough auger 3	300	350	1.733,00
408	U-Trough auger 3.5	350	400	1.886,00
409	U-Trough auger 4	400	450	1.987,00
410	U-Trough auger 4.5	450	500	2.140,00
411	U-Trough auger 5	500	550	2.241,00
419	Motor protection for the U-Trough auger with relay			88,00

Door Z-profil



- Galvanized rails to install on the door of the bunker silo to enable maintenance.
- Hexagonal screws are included.




Article	Description	Length (mm)	Weight (kg)	Retail Price (€)
402	Profil Z 1000	1000	2,60	31,00
403	Profil Z 1500	1500	3,90	37,00

Pellet impact protection mat



- Set consisting of 1 steel angle L=1000mm, 4 Hexagonal screws M8x60mm, 4 washers M8, 4 rawl plugs M10, 1 SBR Rubber protection mat.
- Location: opposite to filling pipes.



Article	Description	Length (mm)	Width (mm)	Weight (kg)	Retail Price (€)
401	Protection mat	1000	1000	8	79,00

Transport not included. EXW price.
The company reserves the right to alter its products without notice.

www.supersilo.es



BIOMASS
SOLUTIONS

Supersilo S.L.
Polígono Industrial Asipo
Calle A Parcela 3A Nave 7
33428 Llanera
Asturias - Spain
Tel.: +34 985 673 790
Mail: info@supersilo.es
www.supersilo.es

STORAGE SOLUTIONS

